



Product Overview

[illegible]

DIN Solenoid Valve Connectors



5000
MINI, ISO, & Sub-Micro
Field Wireable



5F
MINI, ISO, & Sub-Micro
Fully Molded



5J
MINI, ISO, & Sub-Micro
Fully Molded



5K
ISO
Fully Molded



MCCR
ISO Fully Molded
Multiple Control



5JMC
ISO Fully Molded
Double Solenoid



M5
MINI, ISO, & Sub-Micro
Male



P5600
MINI, ISO, & Sub-Micro
Micro Protective
Surge Suppression



R5000
ISO
Field Wireable
Rectified



5FR
MINI & ISO
Fully Molded
Rectified



5JR
MINI & ISO
Fully Molded
Rectified



FAC
MINI & ISO
7/8"
Fieldbus Adapter



5FFAC
MINI, ISO, & Sub-Micro
Fully Molded
Fieldbus Adapter



5JFAC
MINI, ISO, & Sub-Micro
Fully Molded
Fieldbus Adapter



5JGT
ISO
DIN to GT
Adapter

Accessories



GTT
J1939 CAN BUS
Terminator



iLW
MINI, ISO, & Sub-Micro
Interposed Lighted Wafer



DCP
MINI, ISO, & Sub-Micro
DIN Coil Protector



CanGrip
Strain Relief
Cord Grip

Deutsch Style Connectors



GT 2 Pin
Molded Receptacle and
Plug Connector



GT 3 Pin
Molded Receptacle and
Plug Connector



GT 4 Pin
Molded Receptacle and
Plug Connector



GTMC 2 Pin
Molded Double Solenoid
Plug Connector

Round Connectors and Patch Cords



M8, 8mm
Molded Locking
Connector



M12, 12mm
Molded Locking
Connector



M12 90°, 12mm
Molded Locking
Connector



7/8" BR
Molded Locking
Connector



MIL-C-5015 BR
Proportional Valve
Connector

Logic Circuits




Sandwich CRT
Condensation
Removal Timer



5800
MINI & ISO
Micro Logic Timer



MBT
Multifunction
Block Timer



TMLT
Solid State
Micrologic Timer



5FMSD
In-Line Micro Solenoid
Driver Power Converter



5JMSD
In-Line Micro Solenoid
Driver Power Converter



ILSS
In-Line Electronic Soft
Start Controller



D5400
MINI & ISO
Micro Solenoid Driver



5950
ISO
Micro Proportional Driver



B5950
Block
Micro Proportional Driver



B5960
Block Dual
Micro Proportional Driver

Cylinder Proximity Sensors



7000
Reed and Electronic Sensor
for Tie Rod Cylinders



7C
Reed and Electronic Sensor
for Tie Rod Cylinders



7GL General Location
Magnetic Proximity Sensor
for Tie Rod Cylinders



7HL Hazardous Location
Magnetic Proximity Sensor
for Tie Rod Cylinders



8000
Reed & Electronic Sensor
for Round or Tie-rod Cylinders



8A
Reed & Electronic Sensor
for Round or Tie-rod Cylinders



9C
Reed & Electronic Sensor
for Round Keyway Groove



9D
Reed & Electronic Sensor
for Universal Applications



9E
Reed & Electronic Sensor
for Universal Applications



9F
Reed & Electronic Sensor
for 4mm "T" Slot



9H
Reed & Electronic Sensor
for 4.2mm "T" Slot



9K
Reed & Electronic Sensor
for 4.2mm "U" Groove



9M50
Reed & Electronic Sensor
for 6.5mm "D" Groove



9Q
Reed & Electronic Sensor
for Universal "T" Slot



9U
Reed & Electronic Sensor
for "T" Slot



CS
All Threaded Magnetic Sensor
for Universal Applications

Inclination Sensors and Tilt Switches



EiS
Electronic Inclinometer
Sensor



EiS - J1939 and CANopen
Electronic Inclinometer
Sensor



ETS
Electronic Tilt
Switch

To learn more, contact:

✉ customerservice@canfieldconnector.com

🌐 canfieldconnector.com

☎ 1-800-554-5071